

LED Architectural Strip Light

Product Specifications



TCP's Architectural Strip Light combines elegant lighting design with field customization to perfectly illuminate any space. These architectural strips will draw people into the space and create an atmosphere where they want to spend time.

Hang each light individually or connect them end-to-end. 90° and straight linking options allow for limitless creative configurations. This series features a four foot, 40W luminaire with 2000 down lumens and 1400 up lumens. 0-10V dimming and 120-277V come standard.

Reasons to choose the LED Architectural Strip Lights from TCP

- 1400L uplight eliminates cave effect
- 50,000 hour rated life minimizes replacements and labor costs
- Connect in any straight or 90° configuration
- 0-10V dimming driver comes standard for smooth, continuous dimming
- Fast coupler link for easy, time-saving installation
- Enhance the atmosphere in any space

Ideal Applications

- Lobbies
- Meeting Rooms
- Banquet Halls
- Waiting Areas
- Offices
- Restaurants
- Galleries

Specifications


Watts.....	40W
Down Lumens.....	2000L
Up Lumens.....	1400L
Color Temperature (CCT)	3000K and 4000K
Dimming.....	0-10V (standard)
Input Line Voltage	120-277V
Rated Life.....	>50,000 hours
CRI.....	83+
Power Factor	>.95

Warranty


Five year limited warranty against defects in manufacturing

Linking Examples

90 DEGREE LINK



STRAIGHT LINK



Connections



90 Degree



Straight

Applications

TCP's Architectural Strip Lights deliver beautifully designed light that transforms the space it occupies. They feature a long 50,000 hour life, low maintenance, and are perfect for office spaces, waiting areas, and banquet halls.

Construction

- Visually appealing slim, low-profile design
- Heavy-duty aluminum housing
- Durable black powder coat finish
- Suspended mount installation or suspended mount installation


Electrical

- Universal 120-277V
- 0-10V dimming (standard)
- Long 50,000 hour rated life
- cULus damp location rated

Optics

- Durable ribbed, frosted white diffuser lens
- Glare-free light distribution

Item Number	
Notes	Type



Listings

cULus Listed – damp location rated
RoHS Compliant

Warranty

Five year limited warranty against defects in manufacturing

Installation

Suspended

Before installation, please consult your local ordinances and building codes for compliance




Catalog Ordering Matrix Example: ARC4UZDA430K

FAMILY	LENGTH	VOLTAGE	CONTROLS	DOWN LUMEN PACKAGE (POWER) ^{1,2}	COLOR TEMPERATURE
ARC - TCP Architectural Strip	4	U - 120-277V	ZD - 0-10V Dimming	A4 - 2000L Down, 1400L Up (40W)	30K - 3000K 40K - 4000K



¹ Approximate lumen output. Actual performance may vary based on CCT, options selected and end user application

² Actual wattage may differ by +/- 10%

Optional Field-Installed Joiner Accessories

Item Number	Description
ARCJ90 	ARC 90 degree Joiner
ARCJC 	ARC Cross Joiner
ARCJT 	ARC T Joiner

Dimensions and Mounting Data



1.65" (42 mm)

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516